



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/670,982	09/25/2003	Eyal Krupka	80107.025US1	8089

7590 01/17/2007
LeMoine Patent Services, PLLC
c/o PortfolioIP
P.O. Box 52050
Minneapolis, MN 55402

EXAMINER

ODOM, CURTIS B

ART UNIT	PAPER NUMBER
----------	--------------

2611

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/17/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

54

Office Action Summary	Application No. 10/670,982	Applicant(s) KRUPKA, EYAL	
	Examiner Curtis B. Odom	Art Unit 2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 September 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 and 7-29 is/are rejected.
- 7) ☒ Claim(s) 5 and 6 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 September 2003 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Specification

1. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

2. The abstract of the disclosure is objected to because it contains less than 50 words and does not describe the disclosure sufficiently (see above). Correction is required. See MPEP § 608.01(b).

Claim Objections

3. Claims 1-3 and 9 are objected to because of the following informalities:
 - a. In claims 1-3, the phrase "a signal" and "the signal" is suggested to be changed to "a first signal" and "the first signal".
 - b. In claim 9, the phrase "the listed actions" is suggested to be changed to "a list of actions".

Appropriate correction is required.

Claim Rejections - 35.U.S.C. § 101

4. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claims 18-21 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Claims 18-21 recite instructions without a computer readable medium. MPEP 2106.01 [R-5], Section I states the following:

Similarly, computer programs claimed as computer listings per se, i.e., the descriptions or expressions of the programs, are not physical “things.” They are neither computer components nor statutory processes, as they are not “acts” being performed. Such claimed computer programs do not define any structural and functional interrelationships between the computer program and other claimed elements of a computer which permit the computer program’s functionality to be realized. In contrast, a claimed computer-readable medium encoded with a computer program is a computer element which defines structural and functional interrelationships between the computer program and the rest of the computer which permit the computer program’s functionality to be realized, and is thus statutory. See Lowry, 32 F.3d at 1583-84, 32 USPQ2d at 1035. Accordingly, it is important to distinguish claims that define descriptive material per se from claims that define statutory inventions.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claims 18-21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 18 recites an apparatus and the method steps of using the apparatus. MPEP 2173.05(p) states:

A single claim which claims both an apparatus and the method steps of using the apparatus is indefinite under 35 U.S.C. 112, second paragraph. *> IPXL Holdings v. Amazon.com, Inc., 430 F.2d 1377, 1384, 77 USPQ2d 1140, 1145 (Fed. Cir. 2005);< Ex parte Lyell, 17 USPQ2d 1548 (Bd. Pat. App. & Inter. 1990) *>(< claim directed to an automatic transmission workstand and the method * of using it * held ** ambiguous and properly rejected under 35 U.S.C. 112, second paragraph>)<.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2611

9. Claims 1, 2, 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Corbaton et al. (US 2002/0186761) in view of Driesen et al. (US 2005/0111525).

Regarding claim 1, Corbaton et al. discloses a method comprising:

receiving (section 0034) a signal including at least one known pilot symbol;

performing equalization (section 0049) on the signal to form at least one soft estimated symbol; and

remodulating (see section 0050) the at least one estimated symbol to form a second signal.

Corbaton does not disclose estimating a DC level of the signal.

However, Driesen et al. discloses estimating a DC level of a received signal in a DC estimator (see Fig. 3, block 330), wherein a DC offset is determined by comparing the DC level of the received signal to a DC level of a re-modulated version of the demodulated (estimated) signal (see section 0026). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify the method of Corbaton et al. with the DC estimation as disclosed by Driesen et al. since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

Regarding claim 2, Driesen et al. discloses re-estimating a DC level (estimating a DC offset) by comparing the DC level of the received signal to a DC level of a re-modulated version of the demodulated (estimated) signal (see section 0026). It would have been obvious to include this feature since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

Art Unit: 2611

Regarding claim 8, Corbaton et al. discloses receiving a pilot (training) sequence of symbols (see section 0034).

Regarding claim 9, Corbaton et al. and Driesen et al. do not specifically disclose repeating the listed actions (see rejection of claims 1 and 8) for a GSM signal. However, it would have been obvious to repeat the listed actions for a GSM signal since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

10. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Corbaton et al. (US 2002/0186761) in view of Driesen et al. (US 2005/0111525) as applied to claim 2, and in further view of Zvonar (US 2003/0099310).

Regarding claim 3, Corbaton et al. and Driesen et al. do not disclose calculating an initial DC estimation error by comparing estimates of the DC level of the signal and re-estimates of the DC level.

However, Zvonar discloses calculating an initial DC offset estimate for a burst and then re-estimating (updating) the DC offset estimate for each burst by means of an error function (see section 0077). Zvonar further discloses calculating a DC offset estimation error by analyzing (comparing) 1000 bursts (see section 0095). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to calculate an estimation error in Corbaton et al. and Driesen et al. using DC offsets and updated (re-estimated) DC offsets of bursts as disclosed by Zvonar since Zvonar states calculating an estimation error can quantify a performance improvement (see section 0095).

Regarding claim 4, Corbaton et al. discloses channel decoding (see sections 0049-0050). Corbaton et al. does not disclose weighting the at least one estimated symbol. However,

Art Unit: 2611

Driesen et al. discloses compensating (weighting) signals to correct for DC offset using DC offset estimation (see sections 0043-0044). It would have been obvious to include this feature since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

11. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Corbaton et al. (US 2002/0186761) in view of Driesen et al. (US 2005/0111525) in further view of Zvonar (US 2003/0099310) as applied to claim 3, and in further view of Hwang (US 2002/0085649).

Regarding claim 7, Corbaton et al., Driesen et al. and Zvonar do not disclose re-performing equalization if the initial DC estimation error is above a threshold.

However, Hwang discloses measuring an amplitude variation of DC offset for every received signal (see Abstract). Hwang further discloses performing an estimation error (difference) based on the maximum and minimum DC values (see section 0020). This difference is compared to a threshold and if the difference is greater than the threshold, the operational mode of the equalizer is changed (see section 0020). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to re-perform the equalization of Corbaton et al., Driesen et al., and Zvonar based on a DC estimation difference as disclosed by Hwang since Hwang states the method improves error performance (see section 0021).

12. Claims 10, 11, 14, 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (U. S. Patent No. 6, 49, 320) in view of Driesen et al. (US 2005/0111525).

Regarding claim 10, Lindoff discloses a method comprising:

receiving a signal (see column 4, lines 13-24) that includes a training sequence of symbols;

Art Unit: 2611

estimating a channel parameter (DC) from the signal (see column 4, lines 40-43); and performing (see column 5, lines 4-13) equalization to produce estimated symbols.

Lindoff does not disclose remodulating the estimated symbols and re-estimating the channel parameter.

However, Driesen et al. discloses estimating a DC level of a received signal in a DC estimator (see Fig. 3, block 330), wherein a DC offset is determined by comparing the DC level of the received signal to a DC level of a re-modulated version (re-estimation) of the demodulated (estimated) signal (see section 0026). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify the method of Lindoff with the DC offset estimation as disclosed by Driesen et al. since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

Regarding claim 11, Lindoff discloses the channel parameter is a DC level of the signal (see column 4, lines 40-43).

Regarding claim 14, Driesen et al. further discloses estimating a DC level of a received signal in a DC estimator (see Fig. 3, block 330), wherein a DC offset (estimation error) is determined by comparing the DC level of the received signal to a DC level of a re-modulated version of the demodulated (estimated) signal (see section 0026). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify the method of Lindoff with the DC offset estimation as disclosed by Driesen et al. since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

Regarding claim 16, Driesen et al. discloses compensating (weighting) demodulated (estimated) signals by the DC offset (estimation error), see sections 0043-0044). It would have

Art Unit: 2611

been obvious to include this feature since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

Regarding claim 17, Lindoff and Driesen et al. do not specifically disclose the signal is a GSM signal. However, it would have been obvious to repeat the listed actions of claim 10 for a GSM signal since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

13. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (U. S. Patent No. 6, 49, 320) in view of Driesen et al. (US 2005/0111525) as applied to claim 14, and in further view of Hwang (US 2002/0085649).

Regarding claim 15, Lindoff and Driesen et al. do not disclose re-performing equalization if the initial DC estimation error is above a threshold.

However, Hwang discloses measuring an amplitude variation of DC offset for every received signal (see Abstract). Hwang further discloses performing an estimation error (difference) based on the maximum and minimum DC values (see section 0020). This difference is compared to a threshold and if the difference is greater than the threshold, the operational mode of the equalizer is changed (see section 0020). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to re-perform the equalization of Lindoff and Driesen et al. based on a DC estimation difference as disclosed by Hwang since Hwang states the method improves error performance (see section 0021).

14. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (U. S. Patent No. 6, 49, 320) in view of Driesen et al. (US 2005/0111525) as applied to claim 10, in further view of Jalali et al. (U. S. Patent No. 7, 099, 384).

Regarding claims 12 and 13, Lindoff and Driesen et al. do not disclose the channel parameter is a carrier to interference ratio or a noise spectrum

However, Jalali et al. discloses estimating a carrier to interference ratio (C/I), wherein the interference is a noise spectrum (see column 15, lines 15-50) for adjustment of coefficients of an equalizer (see column 19, lines 26-31 and column 20, lines 35-43). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to use C/I estimates in the equalizer of Lindoff and Driesen et al. to adjust the coefficients as disclosed by Jalali et al. since Jalali et al. states coefficient adjustment adapts the coefficients to minimize noise and ISI in the equalizer (see column 20, lines 35-38).

15. Claims 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Corbaton et al. (US 2002/0186761) in view of Tanada (US 2004/0037262).

Regarding claim 18, Corbaton et al. discloses an apparatus (Fig. 1C) including a medium adapted to hold machine-accessible instructions (see section 0065) that when accessed result in a machine performing:

remodulating (section 0050) a sequence of symbols from soft decisions from an equalizer; and

calculating an estimation error (MSE) (see section 0051) from received signal samples and remodulated signal samples.

Corbaton et al. does not disclose weighting the soft decisions in part by the estimation error or the sequence of symbols are training symbols.

However Tanada discloses remodulating a sequence of known (training) signals (see section 0130), calculating an estimation error by subtracting the remodulated signals from

Art Unit: 2611

detected signals (see section 0131), and weighting soft decisions using the result of the subtraction to generate a soft decision correction value (see section 0131). Therefore, it would have been obvious to one skilled in the art to weight the soft decisions in Corbaton using the estimation error as disclosed by Tanada since Tanada states correcting the soft decisions makes it possible to obtain decoded data with small error (see section 0132).

16. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Corbaton et al. (US 2002/0186761) in view of Tanada (US 2004/0037262) as applied to claim 18, and in further view of Driesen et al. (U. S. Patent No. 2005/0111525).

Regarding claim 19, Corbaton et al. and Tanada do not disclose calculating an estimation error comprises comparing an estimation of a DC level of the received samples to a DC level of remodulated signal samples.

However, Driesen et al. discloses estimating a DC level of a received signal in a DC estimator (see Fig. 3, block 330), wherein a DC offset (estimation error) is determined by comparing the DC level of the received signal to a DC level of a re-modulated version of the demodulated (estimated) signal (see section 0026). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify the method of Corbaton et al. and Tanada with the DC offset estimation as disclosed by Driesen et al. since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

17. Claims 22, 24, 26, and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (U. S. Patent No. 6, 449, 320) in view of Tanada (US 2004/0037262).

Regarding claim 22, Lindoff discloses an apparatus comprising:

Art Unit: 2611

a parameter estimator (Fig. 2, blocks 205 and 207, see column 4, lines 40-54) adapted to estimate DC offset; and

an equalizer (Fig. 2, block 209, see column 5, lines 4-20) coupled to the parameter estimator, the equalizer adapted to equalize a channel based at least in part on the DC estimate (see column 4, lines 4-20) and output decided symbols (see Fig. 2). Lindoff does not disclose a processing element adapted to compare received signal samples and remodulated signal samples, and to normalize soft decisions (decided symbols).

However Tanada discloses remodulating a sequence of known (training) signals (see section 0130), calculating an estimation error by subtracting (comparing) the remodulated signals from detected signals (see section 0131), and weighting soft decisions using the result of the subtraction to generate a soft decision correction value (see section 0131). Therefore, it would have been obvious to one skilled in the art to weight the decided symbols (soft decisions) in Lindoff using the estimation error as disclosed by Tanada since Tanada states correcting the soft decisions makes it possible to obtain decoded data with small error (see section 0132).

Regarding claim 24, Lindoff further discloses estimating a DC offset level of the signal (see column 4, lines 40-54).

Regarding claim 26, Lindoff discloses an electronic system (see Fig. 2), comprising:

an omni-directional (see column 1, lines 20-26) antenna for receiving rays from multiple directions

a parameter estimator (Fig. 2, blocks 205 and 207, see column 4, lines 40-54) adapted to estimate DC offset from a signal received from an antenna; and

an equalizer (Fig. 2, block 209, see column 5, lines 4-20) coupled to the parameter estimator, the equalizer adapted to equalize a channel based at least in part on the DC estimate (see column 4, lines 4-20) and output decided symbols (see Fig. 2). Lindoff does not disclose a processing element adapted to compare received signal samples and remodulated signal samples, and to normalize soft decisions (decided symbols).

However Tanada discloses remodulating a sequence of known (training) signals (see section 0130), calculating an estimation error by subtracting (comparing) the remodulated signals from detected signals (see section 0131), and weighting soft decisions using the result of the subtraction to generate a soft decision correction value (see section 0131). Therefore, it would have been obvious to one skilled in the art to weight the decided symbols (soft decisions) in Lindoff using the estimation error as disclosed by Tanada since Tanada states correcting the soft decisions makes it possible to obtain decoded data with small error (see section 0132).

Regarding claim 28, Lindoff further discloses estimating a DC offset level of the signal (see column 4, lines 40-54).

18. Claims 23 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (U. S. Patent No. 6, 449, 320) in view of Tanada (US 2004/0037262) as applied to claims 22 and 26, and in further view of Driesen et al. (U. S. Patent No. 2005/0111525).

Regarding claim 19, Lindoff and Tanada do not disclose calculating an estimation error from the received samples and the remodulated signal samples.

However, Driesen et al. discloses estimating a DC level of a received signal in a DC estimator (see Fig. 3, block 330), wherein a DC offset (estimation error) is determined by comparing the DC level of the received signal to a DC level of a re-modulated version of the

Art Unit: 2611

demodulated (estimated) signal (see section 0026). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify the apparatus of Lindoff and Tanada with the DC offset estimation as disclosed by Driesen et al. since Driesen et al. states DC offset estimation can lead to the reduction of distortion due to DC offset (see column 0007).

19. Claims 25 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (U. S. Patent No. 6, 449, 320) in view of Tanada (US 2004/0037262) as applied to claims 22 and 26, and in further view of Jalali et al. (U. S. Patent No. 7, 099, 384).

Regarding claims 25 and 29, Lindoff and Tanada does not disclose estimating a carrier to interference ratio of the signal.

However, Jalali et al. discloses estimating a carrier to interference ratio (C/I) for adjustment of coefficients of an equalizer (see column 19, lines 26-31 and column 20, lines 35-43). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to use C/I estimates in the equalizer of Lindoff and Tanada to adjust the coefficients as disclosed by Jalali et al. since Jalali et al. states coefficient adjustment adapts the coefficients to minimize noise and ISI in the equalizer (see column 20, lines 35-38).

Allowable Subject Matter

20. Claims 5 and 6 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.


Conclusion

21 The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Klingenbrunn et al. (US 2003/0231662) discloses estimating a DC value involving the remodulation of signals.

22. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Curtis B. Odom whose telephone number is 571-272-3046. The examiner can normally be reached on Monday- Friday, 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read 'C. Odom', with a long horizontal line extending to the right.

Curtis Odom

Application/Control Number: 10/670,982

Page 16

Art Unit: 2611

January 7, 2007